FIGURE 1

SUBSYSTEM 1




FIGURE 2




FIGURE 3





FIGURE 4



GENERATING A DISPLAY ON A USER INTERFACE OF A CLIENT, THE DISPLAY INCLUDING A DOCUMENT DISPLAY PORTION, AND INDEX FIELD PORTION, AND A CONTROL PORTION, THE DOCUMENT DISPLAY PORTION INCLUDING A DISPLAY OF DOCUMENT DATA, THE INDEX FIELD PORTION PERMITTING INDEX DATA TO BE INPUT TO THE USER INTERFACE IN ASSOCIATION WITH THE DOCUMENT DATA, AND THE CONTROL PORTION INCLUDING AT LEAST ONE CONTROL ELEMENT FOR GENERATING AT LEAST A START SCAN SIGNAL TO INITIATE SCANNING OF THE DOCUMENT WITH THE SCANNER TO GENERATE DOCUMENT DATA AND A SEND DATA SIGNAL TO TRANSMIT THE DOCUMENT DATA WITH THE INDEX DATA TO A SERVER, THE USER INTERFACE HAVING AN ADDRESS FIELD TO RECEIVE A NETWORK ADDRESS TO WHICH THE DOCUMENT DATA AND INDEX DATA ARE TO BE SENT

~ S2

END

- S3

